#### INDIVIDUALIZED HEALTH CARE PLAN FOR STUDENTS WITH FOOD & LIFE-THREATENING ALLERGIES 2022-2023 SCHOOL YEAR

To be completed by the Parent:		
Student Name:	Grade:	
Allergies to:		
Student needs to avoid:		_
Reaction(s) student has:		
Self-Carry permission from physician: NO YES *		
*If YES, parent will complete Self-Carry and Self-Administer Epin	ephrine Auto-Injector agreement.	

EMERGENCY CONTACTS	OTHER EMERGENCY CONTACTS
PARENT/GUARDIAN:	NAME:
PHONE:	PHONE:
DOCTOR:	NAME:
PHONE:	PHONE:

(Student Name) has severe allergies as mentioned above and in the Individualized Health Care Plan from the physician. I have provided to the school the physician's medication permission and instructions. I am requesting these instructions be carried out by the school. I have instructed my child about his/her allergy and how to avoid exposure to the allergen, care to take if exposure occurs and to tell an adult immediately if they have come in contact with the allergen or are having a reaction. I will provide the medication with a proper pharmacy label and be aware of the expiration date to replace the medication. I hereby request the medication specified by the physician be given to the above named student, and it may be administered by medical or non-medical personnel. I understand 911 is called with the use of Epinephrine.

Such agreement by the school is adequate consideration of my agreements contained herein. In consideration for the school agreeing to allow the medication to be given to the student as requested herein, I agree to indemnify and hold harmless the Archdiocese of Galveston-Houston, its servants, agents, any employees, including, but not limited to the parish, the school, the principal, and the individuals giving the medication, of and from any and all claims, demands, or causes of action arising out of or in any way connected with the giving of the medication or failing to give the medication to the student. Further, for said consideration, I, on behalf of myself and the other parent of the student, hereby release and waive any and all claims, demands, or causes of action against the Archdiocese of Galveston-Houston, its agents, servants, or employees, including, but not limited to the parish, the school, the principal, and the individual giving or failing to give the medication. It is mutually understood that the Archdiocese and its employees and affiliates are immune, pursuant to Tex. Educ. Code \$38.215, from suit resulting from any act or failure to act concerning the administration of epinephrine medication under the individualized health care plan for food and life threatening allergies. Nothing within this Agreement shall be interpreted to waive this immunity.

Parent Signature:	Date:
To be completed by School:	
School Nurse/Health Coordinator Signature:	Date:
Principal Signature:	Date:
Before & After Program Coordinator Signature:	Date:
Teacher notification provided by:	Date:

School staff may be notified of the student's health condition and the treatment plan in case of an emergency.

Revised January 2022 Archdiocese of Galveston-Houston | Catholic Schools Office, 2022-2023

#### INDIVIDUALIZED HEALTH CARE PLAN FOR STUDENTS WITH FOOD & LIFE-THREATENING ALLERGIES 2022-2023 SCHOOL YEAR

To be completed by the Physician:		
Students Name:	D.O.B.:	
Allergy to:		
Weight:lbs. Asthma:* YES (higher risk for a severe reaction)NO		
NOTE: Treat the person before calling emergency contacts. The first sign of a reaction can be mild, but symptoms can worsen quickly.		
Extremely reactive to the following allergens:		
	· · · · · · · · · · · · · · · · · · ·	
If checked, give Epinephrine immediately if the allergen was DEFINITELY eaten, even if no symptoms are apparent.		
SEVERE SYMPTOMS	MILD SYMPTOMS	
FOR ANY OF THE FOLLOWING FOLLOW DIRECTIONS BELOW	FOR <b>MILD SYMPTOMS</b> FROM <b>A SINGLE SYSTEM</b> AREA, FOLLOW THE DIRECTIONS BELOW	
LUNG HEART THROAT MOUTH	NOSE MOUTH SKIN GUT	
Shortness of Pale or bluish Tight or hoarse Significant	Itchy Runny Itchy mouth A few hive: Mild	
breath, skin, faintness, throat, trouble swelling of wheezing, weak pulse, breathing or the tongue	nose Mild itch nausea or	
repetitive dizziness swallowing or lips	Sneezing discomfort 1. Antihistamines may be given, if ordered by a	
cough	healthcare provider.	
	2. Stay with the person; ALERT Emergency	
	Contacts.	
SKIN GUT OTHER COMBINATION	3. Watch closely for changes. If symptoms worsen, give <b>EPINEPHRINE</b> .	
Many hives Repetitive Feeling something of symptoms		
over body, vomiting, severe bad is about to from different widespread diarrhea happen, anxiety, body areas.	MEDICATIONS/DOSES	
radmass conflicion	Epinephrine Brand:	
1. INJECT EPINEPHRINE IMMEDIATELY	Epinephrine Dose: $\Box$ 0.15 mg IM $\Box$ 0.3 mg IM	
2. <b>CALL 911.</b> Tell emergency dispatcher the person is		
having anaphylaxis and may need epinephrine when emergency responders arrive.	Antihistamine Brand or Generic:	
3. Consider giving additional medications following		
epinephrine:	Antihistamine Dose:	
Antihistamine	Other (inhaler-bronchodilator if wheezing):	
<ul><li>Inhaler (bronchodilator) if wheezing</li><li>4. Lay the person flat, raise legs and keep warm. If breathing is</li></ul>		
difficult or they are vomiting, let them sit up or lie on their	May Self-Carry Epinephrine: YES NO	
side.	May Self-Administer: YES NO	
5. If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more	Physician initial: The above student has	
after the last dose.	demonstrated the proper use of his/her Epinephrine. I have	
6. Alert Emergency Contacts.	instructed the student in the correct and responsible use and	
7. Transport patient to ER, even if symptoms resolve	confirm that the student is capable of carrying and administering the prescribed Epinephrine.	
	administering the presented Epinepinnie.	

**PHYSICIAN SIGNATURE** 

PRINT

PHONE NO.

# **EPIPEN® AND EPIPEN JR® (EPINEPHRINE)** Directions: **Auvi-Q** (EPINEPHRINE) Directions: EPIPEN 2.PAK° EPIPENJr 2.PAK° •))Auvi-Q epinephrine injection, USP (Epinephrine) Auto-Injectors 0.3/0.15mg 0.15 mg/0.3 mg auto-injectors Remove Auto-Injector from the clear carrier tube. 1. Remove the outer case of AUVI-Q. This will activate the voice instructions. 2. Pull off blue safety release by pulling straight up. 2. Pull off RED safety guard. Firths 2Pac Entrate 2Pac 3. Hold orange tip near outer thigh (always apply to thigh) 3. Place black end against outer thigh, press firmly and hold for 5 seconds. 4. Swing and firmly push orange tip against outer thigh. Hold on thigh firmly for approximately 3 seconds. (Count slowly 1, 2, and 3). 4. Call 911 5. Remove and massage the injection area for 10 seconds. 6. **Call 911** and get emergency medical help right away. Adrenaclick (EPINEPHRINE) Directions: ADMINISTRATION AND SAFETY INFORMATION FOR ALL **AUTO-INJECTORS: ADRENACLICK**<sup>®</sup> 1. Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-1. Remove GREY caps labeled "1" and "2" outer thigh. 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries. 2. Place RED rounded tip against outer thigh, 3. Epinephrine can be injected through clothing if needed. press down hard until needle penetrates. Hold for 10 seconds then remove. 4. Call 911 immediately after injection 3. Call 911

Source: Food Allergy Research & Education (FARE) (WWW.FOODALLERGY.ORG) 5/2014

### SELF-CARRY AND SELF-ADMINISTER EPINEPHRINE AUTO-INJECTOR AGREEMENT **2022-2023 SCHOOL YEAR**

## To be completed by the Parent and Student:

Student name:

\_\_\_\_\_ Date of Birth: \_\_\_\_\_\_

Where will student carry Epinephrine auto-injector (**required**):

An additional Epinephrine auto-injector will be provided to the school and stored with prescribed medication at specified school location: (required):

### STUDENT

- I will notify school personnel if I am having more difficulty than usual with my allergies. •
- I agree to carry my Epinephrine auto injector with me as listed above. If an emergency arises and I am unable to get . to the nurse/school personnel, I will use the Epinephrine auto-injector as prescribed by the physician and then **immediately** inform a nurse/school personnel.
- I agree to use my Epinephrine auto injector in a responsible manner, in accordance with the physician's orders. I understand my life-threatening allergy, exposure, symptoms, and treatment plan reviewed by my physician and parent(s)/guardian(s) and understand to use my Epinephrine auto-injector only when an emergency arises, as prescribed by my physician, and I am unable to get to the nurse/school personnel in time.
- I agree to never share my Epinephrine auto injector with another person as this is dangerous. If I do this may result in disciplinary action.

## Student Signature: \_\_\_\_\_\_ Date: \_\_\_\_\_\_

## PARENT/GUARDIAN

- I agree to see that my child carries his/her Epinephrine auto injector as prescribed, and that it is properly labeled and is not • expired.
- I understand that I will provide the school with an additional Epinephrine auto-injector to store at school along with any prescribed medication(s) from the physician treatment plan.
- I have reviewed with my child their life-threatening allergy, exposure, symptoms and treatment plan including the usage of . the self-carry Epinephrine auto injector if an emergency arises.
- I agree to regularly review with my child the proper use of his/her Epinephrine auto-injector when at school.
- I agree to regularly review the status of my child's allergies with the physician and to notify the physician when my child . is having more difficulty than usual.
- I understand if my child shares medication with other students it may result in disciplinary actions.
- My child has demonstrated to his/her physician and the school, nurse, if available, the skill level necessary to selfadminister the prescription medication, including the use of any device required to administer the medication in case an emergency arises and they are unable to get to a school personnel/nurse.
- The self-administration is done in compliance with the prescription or written authorization for my child to self-administer the medicine while on school property or at a school-related event or activity.
- I understand that such self-administration must be done in compliance with the prescription or written instructions of my • child's physician. Additionally, I have provided a written and signed statement from my child's physician that states:
  - 1. The student has a life-threatening allergy and is capable of self-administering the prescription medicine;
  - 2. The name and purpose of the medicine; the prescribed dosage of the medicine; the times or circumstances which the medicine may be administered; and the duration for which the medicine is prescribed.
- This is in effect for the current school year only unless revoked by the physician or the student, parent(s)/guardian(s) fails to meet all the above safety contingencies.

Parent Signature: Date: